


COSMO Adhesives and Composite panels

Special vehicle and caravan construction



weiss

Together toward success

A strong partner

weiss

Quality, service and high delivery reliability are the basic pillars of the success of our group of companies. We have continuously improved and further developed our portfolio in the last years; this also includes the acquisition of new companies. By now, about 325 employees at four sites participate in the success of our group.



Company

By pooling the core competences of our business segments of adhesives and sandwich panels under a single roof, we are able to offer solutions from one source to our customers that are efficient and of high technical quality.

We are among the leading manufacturers in these two business segments in Europe and moreover, we also increasingly sell our products outside of Europe, such as in China, Russia and the USA.



Company history

Since the company's foundation in 1815, Weiss has developed from a small hide-glue producer to an internationally acting, industrial company for modern adhesive systems and composite panels. With a passion for quality and the aspiration to meet our customers' high expectations, we are a recognised and reliable partner on the market.

Powerful product range

Business area Adhesives




Durably firm joints

Traditional joining technologies like riveting, soldering, welding, or screwing, will increasingly be replaced by modern adhesive systems, resulting in many advantages.

Our product range includes more than 400 variants of surface and construction adhesive and superglues, as well as special adhesives for a wide variety of applications.

Business area Composite panels



Unlimited possibilities for design

Our range of products includes more than 5,000 variants of composite panels. Because there is a large number of top coats and core materials available as well as the possibility of combining and processing them in many different ways, a vast number of creative designs results for the finished element.

PUDOL Cleaning and care agent



Cleanliness refreshes your senses

PUDOL stands for convincing quality of special products in the field of commercial cleaning. In addition to a complete range of cleaning and care products for different applications, we are offering a comprehensive service with interesting solutions and benefits.



A subsidiary of the Weiss Group


! Weiss is the only enterprise that produces adhesives and composite panels.

Solutions for special vehicle and caravan construction

Weiss is offering highly loadable adhesive systems and composite panels tailored to the special requirements of the most diverse applications. On the basis of our long-term experience and the intensive exchange of experience with our customers in industry and trade, we have the possibility to continuously develop our products. With this, we are able to provide innovative application solutions to our customers and partners.




p. 04 - 05




p. 06 - 07

COSMO PU-160.540
COSMO PU-160.530



p. 08 - 11

Overview
COSMO HD-200.101




p. 12

COSMO PU-200.180
COSMO PU-100.200
COSMO PU-200.330



p. 13

The bio-based product range



p. 14 - 15

COSMO Tech - GFK



p. 16 - 17

The product range for caravans



p. 18 - 19

Interaction / Service

Certifications

Low-emission adhesives from Weiss / www.emicode.de

GEV-EMICODE®- licensed products

EMICODE® is a recognised standard for building products (adhesives, amongst others) promoting healthy living and is a quality label for the proof of low VOC-emissions. Products labelled with EMICODE® are modern, solvent-free, and low-emission building products.



The "DIN-certified bio-based" label / www.dincertco.de

A neutral and transparent quality label regarding the content of bio-based carbon and the product quality makes finding resource-efficient products easier. By using the "DIN-certified bio-based" label, it is certified that we use bio-based raw materials and undergo regular monitoring.



8C092

Our competencies in adhesive technology

More than 200 years of experience













Durably firm joints

Traditional joining technologies like riveting, soldering, welding, or screwing, will increasingly be replaced by modern adhesive systems, resulting in many advantages.













Our product range includes more than 400 variants of surface adhesive and construction adhesive and special adhesive for a wide variety of applications.

Our adhesive systems & cleaning agents

| | | | | |
|--|---|---|--|---|
|  PUR 1-COMPONENT |  PUR 2-COMPONENTS |  HYBRID |  EPOXY |  BIO-BASED |
|  CYANOACRYLATE |  DISPERSION |  DIFFUSION |  CLEANER |  PRIMER |

Fields of application


Weiss is offering highly loadable adhesive systems for the most diverse fields of application. With the help of our adhesives, you ensure the required high quality of your product and achieve strengths that guarantee safe and durable bonding of your adherends also under extreme loads.

| | | | |
|--|--|--|--|
|  Window construction |  Automotive manufacturing |  Industry |  Airtight bonding |
|  Door construction |  Shipbuilding |  ASSEMBLY |  Fire protection |
|  Dry construction |  Container construction |  Composite panels |  Advertising industry |



Application engineering

It is very important to us to provide professional and innovative solutions with convincing advantages for production methods and with high efficiency in close cooperation with our customers. A team of chemists and application engineers with long-term experience in development, modification and application of adhesives will be on hand with help and advice for you.



Customer-specific solutions

Our standard range of products consists of more than 400 types of adhesive for the most diverse applications. If, however, the suitable adhesive should not be available for you, we are offering a very special service. We are able to develop adhesive systems that will be customized with 100 % to your individual bonding tasks.




Private label / individual layout

We would also like to produce and finish our products in accordance with your individual layout. We are offering special flexibility as well as long-term experience and respond with sensitivity on your wishes. Your own brand can profit from the high quality and reliability of our products.

Certified quality


Our own quality tests as well as our cooperation with various testing institutes ensure the high quality of our products. We are working together with the following testing institutes:

- AWOK, Kaiserslautern
- DMT, Dortmund
- eco, Cologne
- Eurofins, Denmark
- Exova, Frankfurt
- FH Bielefeld
- IBP, Stuttgart
- IFAM, Bremen
- ift, Rosenheim
- ILAK, Wettenberg
- ISEGA, Aschaffenburg
- Kiwa, Flörsheim
- MPA, Braunschweig
- TU, Berlin



COSMO PU Polyurethane adhesives

Adhesives for extreme conditions



Process-optimised 1-C-PUR surface adhesives

COSMO PU-160.540 and COSMO PU-160.530


With the two 1-C-PUR adhesives **COSMO PU-160.530** and **COSMO PU-160.540** we have two adhesives in our range of products that can cover nearly all facets of surface bonding.

The **COSMO PU-160.530** is always used in industrial fields where a variety of substrates that are hard to bond, like PVC, ABS, PS, PC or also metals and mineral substrates with fluctuating qualities can occur.

Briefly said: the safety backup for your bonding on site.


Due to its very good adhesion to many materials and qualities, this adhesive ensures a maximum of safety and gives more space for your process control.

If it shall be a specialist for the construction of side walls, e.g. on the basis of **GRP/XPS/GRP**, a fast **COSMO PU-160.540** with a skinning time of 9 minutes has established itself. The optimum full curing from +35°C provides for fast reaching of functional strength. With this, a controlled, lean and fast production is accomplished. These are important criterions for a cost-efficient manufacture of side wall elements.



This corresponds with: COSMO Tech - GFK composite panels for automotive manufacturing

Depending on the installation situation, different requirements on our lightweight building units can result. Therefore, specific material combinations are required. With **COSMO Tech - GFK** we are offering you diverse options for the structure of ceiling elements, side walls and bottom plates (see page 14-15). Please contact us! Please find our contact details on the rear side.



The surface specialists

COSMO PU-160.540

1-C-PUR adhesive

Applications:


- Manufacture of sandwich and balustrade elements
- Bonding of surfaces
- Production of side walls of caravans

Special properties:

- Fast skinning time
- Tough-elastic adhesive joint
- Good penetration properties in EPS
- Solvent-free
- Expands (foams) during the curing process
- Good adhesive properties to GRP top coat and inner cores like XPS-, EPS- and PUR foams
- Good weather-resistance
- Compared to other 1-C-PUR adhesives of the COSMO PU series, it faster cures fully at temperatures of >+35 °C
- Faster process times possible

Packaging:

1,080 kg IBC container



COSMO PU-160.530

1-C-PUR adhesive

Applications:


- For universal use
- Manufacture of sandwich and balustrade elements
- Bonding of surfaces
- Diverse industrial fields

Special properties:

- Long processing time
- Outstanding variety of application possibilities
- Elastic adhesive joint
- Solvent-free
- Expands (foams) during the curing process
- Good adhesion properties with PVC, ABS, PS, PC, metals and mineral substrates
- Good bonding strength at heat
- Good weather-resistance
- Can be over-coated with many paint systems

Packaging:

1,000 kg IBC container




! COSMO PU surface adhesives for diverse application segments

When composite panels are manufactured, very special requirements are put on the adhesive system used because different technologies are applied for the application of adhesive and a large number of materials or material combinations are used. To be able to support you with the suitable adhesive in your individual production processes, we have developed a wide variety of systems with the most different characteristics referring viscosity, thixotropy, processing and pressing times.

COSMO HD Hybrid Polymer Adhesives



Environment-oriented bonding & sealing



Hybrid-polymer adhesives

This new generation of adhesives and bonding sealants has been developed on the basis of alternative raw materials. In contrast to conventional PUR construction and assembly adhesives, whose content materials are subject to labelling as per Ordinance on Hazardous Substances, we are offering the COSMOS HD alternative system for the consequent, environment-oriented user.

Structural bonding in automotive manufacturing



Other fields of application



- 1

Bonding and sealing in automotive manufacturing
- 2

Assembly bonding
- 3

Skirting, laying of laminate and cable ducts
- 4

Mirror bonding
- 5

Stair construction and building trade
- 6

Tile repair
- 7

Glass bonding in the manufacture of furniture and display cabinets
- 8

Fixation of signs
- 9

Bonding and sealing of joint tapes
- 10

Bonding of EPDM films and profiles

11

Bonding of façade composite panels

12

Doubling of dry screed elements

13

Surface bonding of glass-fibre wall-papers or wood floorings

14

Dry finish and interior finishing

15

Solar and wind power plants

16

Window and door construction

17

Apparatus and plant construction

18

Diverse industrial fields

19

Shipbuilding

| Sealing adhesives | Basis | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | Particularities |
|----------------------------|---------|---|---|---|---|---|---|---|---|---|----|----|----|----|----|----|----|----|----|-----|---|
| COSMO HD-100.400 | 1-C-MS | • | • | • | • | • | • | • | • | | | • | | | • | • | • | • | • | (•) | Versatile |
| COSMO HD-100.450 | 1-C-MS | • | • | • | • | • | • | • | • | | | | | | • | | • | • | • | | Powerful |
| COSMO HD-100.455 | 1-C-MS | • | • | • | • | • | | • | • | | | | | | | | | • | • | | Medium tack |
| COSMO HD-100.460 | 1-C-MS | • | • | • | | • | • | • | • | | | • | | | • | • | • | • | • | | Bacteriostatic |
| COSMO HD-100.470 | 1-C-MS | • | • | • | | • | | • | • | | | • | | | • | • | | • | • | | Fast |
| Bonding sealants | | | | | | | | | | | | | | | | | | | | | |
| COSMO HD-150.160 | 1-C-MS | • | • | • | | | | • | • | | • | | | | | | | • | • | | Transparent |
| COSMO HD-100.600 | 1-C-MS | • | | | | | | | | • | • | | | | | | • | • | • | | Sealing |
| Elastic assembly adhesives | | | | | | | | | | | | | | | | | | | | | |
| COSMO HD-100.110 | 1-C-STP | • | • | • | | | | • | • | | | • | • | • | • | • | | | • | • | Hardly inflammable |
| COSMO HD-100.170 | 1-C-STP | • | • | • | | • | | • | • | | | • | | | | | | | • | | Fast |
| COSMO HD-100.220 | 1-C-STP | • | • | • | | • | | • | • | | | • | | | • | | | • | • | | Powerful |
| COSMO HD-100.500 | 1-C-STP | • | • | • | | • | | • | • | • | | • | | | | | | • | • | | High tensile shear strength Window joint tape professional |
| COSMO HD-100.510 | 1-C-STP | | | | | | | | | • | | | | | | | | | | | Window joint tape professional |
| COSMO HD-200.101 | 2-C-STP | • | • | • | | • | • | • | • | | | • | | | • | • | • | • | • | (•) | Tested |
| COSMO HD-200.201 | 2-C-MS | • | • | • | | • | | • | • | | | • | | | • | • | • | • | • | | Tested |
| Elastic surface adhesive | | | | | | | | | | | | | | | | | | | | | |
| COSMO HD-120.110 | 1-C-STP | | | | | | | | | | • | | • | • | • | | | | | | Surface specialist |


Examples of materials



For pre-treatment we recommend our activator COSMO CL-310.110.

COSMO HD Hybrid Polymer Adhesives

Environment-oriented bonding & sealing




2-C-STP Construction Adhesive COSMO HD-200.101

After nearly one year after the introduction, the state shows that the 2-C-STP Construction Adhesive **COSMO HD-200.101** is a total success in which more and more customers trust. New projects could be implemented successfully, so that, in the meantime, the adhesive is not only being used for bonding of corpuses in the operator's cabin of motor caravans or in rail vehicles, but also for rear coach doors and bonding of frames in trucks and special vehicles and it is indeed used for bonding in the assembly of sports boats! The **COSMO HD-200.101** completely convinced our customers, among others, in the intensive test mainly with its long-term behaviour and weather resistance under extreme conditions like the KATAPLASMA test*.

The reservations regarding these more cost-intensive 2C system compared to a 1C system could be eliminated by faster and safer process times which is a clear advantage referring the requirements of DIN 2304.

We are sure that **COSMO HD-200.101** is the technical benchmark in the 2C-STP sector. Also our customers agree with this estimate. Check this statement thoroughly! We would like to send you samples.

* KATAPLASMA-Test: based on DVS 1618, but with extended test parameters: 14 cycles à 8 hours at -40°C, 8 hours at +20°C, 8 hours at +80°C




This corresponds with: COSMO Tech - GFK composite panels for automotive manufacturing


Depending on the installation situation, different requirements on our lightweight building units can result. Therefore, specific material combinations are required. With **COSMO Tech - GFK** we are offering you diverse options for the structure of ceiling elements, side walls and bottom plates (see page 14-15). Please contact us! Please find our contact details on the rear side.




ROOF ANGLES




CORNER ANGLES




STRIPS



CROSS BUTT JOINTS



END PROFILES



The controlled adhesive

COSMO HD-200.101 2-C-STP construction adhesive

Applications:

- Used for bonding and sealing in automotive and vehicle body manufacture
- Assembly bonding
- Skirting, laying of laminate and cable ducts
- Stair construction and building trade
- Bonding of façades (cassettes) - composite panels
- Glass bonding in the manufacture of furniture and display cabinets
- Solar and wind power plants
- Fixation of signs
- Apparatus and plant construction
- Diverse industrial fields

Special properties:

- Ideal for thick adhesive joints, without curing problems
- Elastic adhesive joint
- Full process control
- Fast and controlled curing
- High tear resistance
- Adding moisture to the adhesive joint is not necessary
- Adheres to a wide variety of substrates
- High weather-resistance
- Can be coated over
- H351 (R40) no marking required

For the preparation of bonding we recommend our activator **COSMO CL-310.110**

Applications:


- Activation of bonding areas before bonding
- Activation of non-absorbent, porous and smooth substrates
- Activation of mineral surfaces

Special properties:



- It cleans and activates bonding surfaces
- It improves the bonding characteristics on PVC, ABS, PC, and GRP on surfaces of polyester or polyamide and on powder-coated surfaces
- It improves the ageing resistance of adhesive joints with concrete, aerated concrete, sandstone and building bricks

Packaging:

- 195 ml 2 : 1 UTAH cartridge
- 400 ml 2 : 1 side-by-side cartridge
- Other trading units on request



Other examples for application:



Manufacture of busses and trains


Packaging:

- 250 ml aluminium bottle
- 1,000 ml aluminium bottle



COSMO PU Polyurethane Adhesives






Adhesives for extreme conditions



Design & assembly

Due to their wide range of application possibilities, our one- and two-component-PUR adhesive systems are suitable for bonding of the most different materials and therefore, they are used in various industrial areas for structural bonding as well as for the assembly by the building industry and craftsmen.


High-strength PU adhesives – High strength of adhesive joint

| | | | |
|----------------------------------|---|--|---|
| | <div>BUCKET</div>  <div>THE MULTI-TALENT</div> | <div>LOCK RING DRUM</div>  <div>THE FAST ACTING ONE</div> | <div>CARTRIDGE</div>  <div>THE HIGH-STRENGTH ONE</div> |
| Product | COSMO PU-200.180 | COSMO PU-100.200 | COSMO PU-200.330 |
| Emphasis | Allrounder | Fast reaction time | Tough-hard adhesive joint |
| Non-slump / pasty | Yes | Yes | Yes |
| Viscosity (+25°C) | 140,000 mPa*s | 90,000 mPa*s | 25,000 mPa*s |
| Skinning time / pot life | 90 minutes | 2 minutes (wet) | 50 minutes |
| Functional strength | 420 minutes | 15 minutes | 300 minutes |
| Hardness Shore D | 55 | ≈ 45 | 60 |
| Hardness Shore A | | | |
| Tensile shear strength, +20°C | 12.5 N/mm² | 8.5 N/mm² | 19 N/mm² |
| Solvent-free | √ | √ | √ |
| EMICODE® EC1PLUS | | | |
| Can be coated over | √ | √ | √ |
| Steering wheel / flame-resistant |  |  | |
| Mixing unit | 3.45 kg | 465 g | 910 g |
| Standard colours | beige | beige | beige |

! Also available with other reactivities!


COSMO BIO-BASED

The bio-based product range




The bio-based product range

Our bio-based adhesives and cleaners include a defined content of raw materials from renewable sources. Simultaneously, we could further optimise the properties.



+ Please find further information on our **COSMO BIO-BASED** products in our website.








COSMO Tech

Composite panels for automotive manufacturing

The versatile element for automotive manufacturing

COSMO Tech - GFK

Depending on the installation situation, different requirements on our lightweight building elements can result. Therefore, specific material combinations are required.



Ceiling elements

The core requirements on a ceiling element are low weight and high mechanical stiffness.

Exemplary design of elements:

GRP smooth / XPS and/or PUR core / GRP with/without gel coat

Properties:

- High pressure and bending strength
- Long-term water resistant
- Swelling-resistant, i.e. no changes of dimensions
- Minimum absorption of humidity

Side walls

The side walls ensure the stability of the whole Coffer structure. Depending on the application, however, further properties, e.g. good durability of insulation, could be relevant.

Exemplary design of elements:

GRP smooth / XPS, PUR and/or TK core / GRP with/without gel coat

Properties:

- Screwable in combination with TK core
- Individual design as per specification

Floor elements

Despite of low weight, a bottom plate must have high strength and good wearing resistance. These requirements can be met depending on the application by selecting of suitable core materials or top coats.

Exemplary design of elements:

GRP anti-slip / XPS, PUR and/or TK core / GRP smooth

Properties:




- High pressure and bending strength
- Long-term water resistant
- Slipping class 13
- Environmentally-friendly inserts (, TK is 100% recyclable)
- Swelling-resistant, i.e. no changes of dimensions
- Minimum absorption of humidity

The interior finishing


For the application inside of the vehicle we recommend our **COSMO Plan S** Integral rigid foam panel.

Formats (mm):

Dimensions on request.



SECOND SOURCE




This corresponds with: the controlled 2-C-STP Construction Adhesive

For the assembly and sealing bonding of our elements in the field of automotive manufacture we recommend our **2-C-STP Construction Adhesive COSMO HD-200.101** (see page 10-11). Please contact us! Please find our contact details on the rear side.



PUDOL Caravan care set – Outdoor

The professional combination set consisting of our Caravan Shampoo, Professional Rim Cleaner and Multi-Cloth, including bucket and sponge for cleaning and maintaining the outside of caravans.



Packaging:

- Combined set:
- 2 x 200 ml bottle
 - 1 x multi-cloth bucket
 - 1 x sponge
 - 1 x bucket



1 Caravan shampoo SOFT

Applications:

As an addition for manual washing of caravans. Also suitable for cleaning of panes as well as plastic parts inside and outside.

Special properties:

- Highly concentrated
- Mild to surfaces
- Neutral shampoo with good dirt-dissolving and degreasing features
- Strongly foaming
- Does not attack plastics
- Mild for the hands
- Water runs off smoothly
- It dries free from striation

2 Professional Rim Cleaner POWER

Applications:

A special cleaner for all lacquered aluminium and steel rims.

Special properties:

- Highly concentrated
- It is strongly dirt-dissolving and degreasing, also for intractable pollutions like brake dust or oil residues.


3 Multi-Cloth POWER

Applications:

Cleaning cloth for universal use when on the way for thorough and fast cleaning of the most surfaces without the need for water, soap and cleaning tools. Thoroughly and carefully removes strongest pollutions, e.g. brake dust, oils, and grease.

Special properties:

- Water-free cleaning
- Strongly wear-resistant fleece, lint-free
- Multi-purpose




This corresponds with: the surface specialists for the caravan construction

For bonding of our composite panels in the production of side walls for caravans we recommend our surface specialists **COSMO PU-160.540** und **COSMO PU-160.530** (see page 6-7). Please contact us! Please find our contact details on the rear side.



PUDOL Caravan care set– indoor

The professional combination set consisting of our Orange Cleaner, Microsoft Care System and Multiclean including bucket and microfibre cloth for cleaning and maintaining the inside of caravans.



Packaging:

- Combined set:
- 3 x 200 ml bottle
 - 1 x microfibre cloth
 - 1 x bucket



1 Orange cleaner FRESH

Applications:

Multipurpose cleaner for colour spots, spots from chewing gum, spots on upholstery, carpet floorings, clothes, from ballpoint pens, ink, nail varnish and rubber abrasion on floorings. It has a concentrated effect as odour neutraliser, e.g. in WCs, in garbage bins or in all places where unpleasant odours can occur.

Special properties:

- Highly concentrated
- Odour neutralising

2 Microsoft System Care CARE

Applications:

It is suitable, e.g., for the following surfaces: All metals, plastics, Resopal, polyester, ceramics, porcelain, glass, enamel, stainless steel, chromium, copper, brass, nickel and silver.

Special properties:

- Highly concentrated
- Acid-free
- It contains slightly smelling solvents
- It protects from corrosion and prevents tarnishing of metals, water stains, fingerprints and sticking of dust on materials
- Water drips off
- It does not leave any scratches or grooves

3 Multiclean POWER

Applications:


Alkaline power cleaner and degreaser

Special properties:

- Highly concentrated
- Strong dirt-dissolving and degreasing effect
- Solvent-free
- Free from CFC
- Non-flammable
- It has optimum wetting and emulsifying effect
- Moderate foam development

This corresponds with: COSMO Tech - GFK composite panels for automotive manufacturing

Depending on the installation situation, different requirements on our lightweight building units can result. Therefore, specific material combinations are required. With **COSMO Tech - GFK** we are offering you diverse options for the structure of ceiling elements, side walls and bottom plates (see page 14-15). Please contact us! Please find our contact details on the rear side.




Digital media


Interactive communication

Always up to date

We are happy to bring our products and fields of application closer to you at the www.weiss-chemie.de and to keep you informed about the latest developments.




Current issues



- + By our slide show and our News column you are always informed on current topics and remain up to date.

Newsletter



- + With the newsletter issued by Weiss you will never miss the innovations of products and applications. Conveniently register for this newsletter via our website.

Service / Downloads



- + In our Product / Application area, you will directly find the appropriate contact person. In addition, you can easily download all print media as well as data sheets.

Trade fairs



- + Visit us at our booths at the national and international trade fairs and obtain information online about all details and facts referring our participations in trade fairs.

PUDOL – Cleaning and care agent

- + **PUDOL** stands for convincing quality of special products in the field of commercial cleaning. In addition to a complete range of cleaning and care products for different applications, we are offering a comprehensive service with interesting solutions and benefits. Visit our website: www.pudol.de



Cleanliness refreshes your senses

Application engineering

More than 200 years of experience



Customer support

Flexibility and the creation of customer-oriented problem solutions count among the elementary objectives of our company. Therefore, it is very important to us to provide professional and innovative solutions with convincing advantages for production methods and with high efficiency in close cooperation with our customers.

A highly motivated team of application engineers, materials testers and chemists with long-term experience in development, modification, materials science, building physics and application of adhesives and composite panels is on hand with help and advice for you.



Application engineering Adhesives



- + Support with creating the requirements specification
- + Expert advice on the selection of adhesives
- + Optimisation tips for the design of the bonding surfaces
- + Rationalisation proposals for work flows
- + Recommendation of suitable dosing units as well as application and pressing technology
- + Optimisation of workplaces when using adhesives
- + Training for workers and specialist dealers; technical lectures
- + Creation and modification of adhesives in our Research and Development department



Test possibilities in our application technology and internal research and development department

- + With our own test facilities we are not only able to test in compliance with DIN and EN standards but we can also evaluate your components (component sizes) under operating conditions in a practice-oriented way. In addition, we ensure the high quality of our products on the basis our cooperation with the most diverse testing institutes.



Application engineering Composite panels



- + Individual element construction
- + Application-specific material components
- + Project-related proposals for solutions
- + Selection of materials in accordance with construction-physical requirements and conditions




Test possibilities in our Technical Centre

- + **Materials tests:**
 - Storage at alternating climate
 - 3-point bending rigidity
 - Perpendicular tensile strength
 - Colour measurement
 - Storage in water
 - Determination of U-values
- + Furthermore, we are working together with famous testing institutes that are responsible for fire protection and sound insulation.



Are you also a member of LinkedIn? Then follow us. We post interesting news at regular intervals. You will find us at:

Weiss Chemie + Technik GmbH & Co. KG



An overview of our range of products

Experience quality on a completely new level, with the powerful products by Weiss:



COSMO Adhesives

Durably firm joints

COSMO CA (Cyanoacrylates)
COSMO PU (Polyurethane adhesives)
COSMO CL (Cleaning agents)
COSMO SL (Dispersion adhesives)
COSMO HD (Hybrid adhesives)
COSMO EP (Epoxy-resin adhesives)
COSMO DS (Dispersion adhesives)
COSMO SP (Service products)

Fields of application

- + Windows and doors
- + Transportation / Marine engineering
- + Industry
- + Assembly
- + Dry construction
- + Airtight bonding
- + Wood / Furniture industry
- + Container construction
- + Composite panels
- + Fire protection
- + Advertising industry

Do you have any questions?

Our Service Center
Business area Adhesives:

+49 (0) 2773 / 815 - 255
+49 (0) 2773 / 815 - 274



COSMO Composite panels

Unlimited possibilities for design

COSMO Therm (heat-insulating)
COSMO Silent (sound insulating)
COSMO Protect (burglar/penetration resistant)
COSMO Design (grooved)
COSMO Tech (individual)
COSMO Frame (frame widening)

Fields of application

- + Window and façade
- + Door construction
- + Industry
- + Automotive manufacturing
- + Trailer construction
- + Partition panel construction
- + Gate construction
- + Container construction
- + Energy conservation
- + Fire protection
- + Burglar resistance
- + Sound proofing

Do you have any questions?

Our Service Center
Business Area Composite panels:

+49 (0) 2773 / 815 - 0

Our Service Center
Business area Façade:

+49 (0) 5245 / 9241 - 21



PUDOL Cleaning and care agent

Cleanliness refreshes your senses

PUDOL SOFT
Mild cleaning agent for sensitive materials
PUDOL CARE
Maintenance product for high gloss and hygiene
PUDOL POWER
Powerful cleaning agent for extreme pollution
PUDOL FRESH
Cleaning agent for cleanliness and fresh air

Fields of application

- + Flooring
- + Sanitary installations
- + Clothing care
- + Foodstuff industry
- + Household and gastronomy
- + Windows and glass
- + Dishwasher
- + Carpet and upholstery
- + Industry and workshop
- + Cars
- + Skin cleaning
- + Skin protection

Do you have any questions?

Our Service Center PUDOL:

☎ +49 (0) 2743 / 9212 - 0



Weiss USA LLC
P.O. Box 509
Monroe,
North Carolina 28111-0509

Phone: (704) 282-4496
Fax: (704) 289-7091
Mail: info@weiss-usa.com
Web: www.weiss-usa.com

PUDOL



*A subsidiary of the
Weiss Group*

Cleanliness refreshes the senses

Pudol Chemie GmbH & Co. KG
Bahnhofstr. 2
D-57520 Niederdreisbach

Phone: +49 (0) 2743 / 9212 - 0
Fax: +49 (0) 2743 / 9212 - 71
E-mail: info@pudol.de
www.pudol.de